

## DECLARATION OF PERFORMANCE

CE.1128 – CPR.XK.0194

1.Unique identification code of the product-type:

**Portland-composite cement EN 197-1 – CEM II/B – M (W-P-L) 42,5N**

2.Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**Preparation of majority of standard structures of any kind (infrastructure, residential, industry, etc.), both for reinforced and massive concrete.**

3.Name, registered trade name or registered trademark and contact address of the manufacturer as required pursuant to Article 11(5): **Sharrcem SH.P. K Adem Jashari 71510 Hani i Elezit –Kosovo**

4.Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2): **Not applicable**

5.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

**System 1+**

6.In case of the declaration of performance concerning a construction, product covered by a harmonized standard:

**Notified product certification body No.1128 performed determination of the product type on the basis of type testing (including sampling), the initial inspection of the manufacturing plant and of factory production control, the continuous surveillance, assessment and evaluation of factory production control and the audit testing of samples taken before placing the product on the market under system 1+ and issued the certificate of constancy of performance.**

7.Declared performance

Essential characteristics	Performance	Harmonized technical specification
Common cements (subfamilies) constituents and composition	CEM II/ B-M (W-P-L) 42.5N	EN 197-1:2011
Compressive strength (early and standard)	42,5N	
Setting time	Pass	
Soundness:	Pass	
- Expansion	Pass	
- SO <sub>3</sub> content	Pass	

8.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued,in accordance with Administrative instructions (AI-MTI Nr.05-2020 and AI-MTI Nr.03-2019),derived from Law Nr.06-033 for Construction Products, under the sole responsibility of the manufacturer identified in point 3.

Quality Control & Laboratory Manager,

Bujar Aliu

Sharrcem SH.P.K Adem Jashari 71510 Hani i Elezit –Kosovo

F2a-P.140/6